

464/664


Great Productivity



Huge hopper capacity



Large sweeping path



Extensive filtering surface



464



664

High Performance



Pre-programmed working settings



SLS (Self Levelling System) automatic main brush pressure control

PATENTED



Main brush special "V" shape design



Dust micro filtration



Dust flap for large debris collection



Technical data		464	664
Max working width	mm	625	825
Main brush width	mm	400	600
Productivity (at max speed)	m ² /h	2000	2600
Dirt container volume	l	35	45
Max dumping height	mm	-	-
Power supply		Battery 12V Battery charger on board	Battery 12V Battery charger on board
Filter surface	m ²	1	1
Electric filter shaker		Automatic	Automatic
Max speed	Km/h	-	-
Weight (net)	Kg	38	41
Dimensions (LxWxH)	mm	1033x615x994	1033x815x994



Ergonomics, User Friendly



Easy to transport



Easy to use control panel



Adjustable handlebar



Battery level indicator



On board battery charger

Low Maintenance Costs



Self cleaning filter system



Dust filter replacement without tools



Main brush replacement without tools



Side brush replacement without tools


Robust Construction



Heavy duty chassis in fully coated steel



Maximum protection against impact



SLS (Self Levelling System) automatic brush pressure control

System that adapts immediately the brush thanks to a special shock absorber.

The system allows the brush:

- to immediately and constantly follow all types of surfaces
- to self adjust brush pressure until the brush is completely worn out.



Pre-programmed working settings

2 independent programs allow best settings for all types of applications. Filter shaker can be operated at any time. Each program can be fully personalized.



External battery charge plug

Charging cable stowed on top cover.



IPC